

set firewall filter copp sequence from destination-mac-address

The **set firewall filter copp sequence from destination-mac-address** command configures a firewall filter rule based on the destination MAC address for traffic classification.

Command Syntax

set firewall filter copp sequence *<number>* **from destination-mac-address** *<mac-address>*

Parameter

Parameter	Description
sequence <i><number></i>	Specifies filter sequence number. The value is an integer that ranges from 0 to 9999. The 15 integers 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150 are not allowed to be used for sequence numbers in user-defined CoPP firewall filter rules.
destination-mac-address <i><mac-address></i>	Specifies the destination MAC address. The value is in the format of H:H:H:H:H:H. An H contains 2 hexadecimal numbers.

Usage Guidelines

You can run the **set firewall filter copp sequence from destination-mac-address** command to configure a firewall filter rule based on the destination MAC address for traffic classification so that the device processes packets matching the same firewall filter rule in the same manner.

Example

- Configure a firewall filter rule based on the destination MAC address of 00:50:ba:27:be:d2.

```
admin@XorPlus# set firewall filter copp sequence 51 from destination-mac-address 00:50:ba:27:be:d2
admin@XorPlus# commit
```