

PIM Configuration Commands

- run show pim bootstrap
- run show pim bootstrap rps
- run show pim interface
- run show pim join
- run show pim mfc
- run show pim mrib
- run show pim neighbors
- run show pim rps
- run show pim rps mapping
- run show pim traffic
- set protocols pimsm4 bootstrap cand-bsr scope-zone
- set protocols pimsm4 bootstrap cand-bsr scope-zone bsr-priority
- set protocols pimsm4 bootstrap cand-bsr scope-zone cand-bsr-by-vif-addr
- set protocols pimsm4 bootstrap cand-bsr scope-zone cand-bsr-by-vif-name
- set protocols pimsm4 bootstrap cand-bsr scope-zone hash-mask-len
- set protocols pimsm4 bootstrap cand-rp group-prefix
- set protocols pimsm4 bootstrap cand-rp group-prefix cand-rp-by-vif-addr
- set protocols pimsm4 bootstrap cand-rp group-prefix cand-rp-by-vif-name
- set protocols pimsm4 bootstrap cand-rp group-prefix is-scope-zone
- set protocols pimsm4 bootstrap cand-rp group-prefix rp-holdtime
- set protocols pimsm4 bootstrap cand-rp group-prefix rp-priority
- set protocols pimsm4 bootstrap disable
- set protocols pimsm4 disable
- set protocols pimsm4 interface vif alternative-subnet
- set protocols pimsm4 interface vif disable
- set protocols pimsm4 interface vif dr-priority
- set protocols pimsm4 interface vif hello-period
- set protocols pimsm4 interface vif hello-triggered-delay
- set protocols pimsm4 static-rps rp
- set protocols pimsm4 static-rps rp group-prefix
- set protocols pimsm4 static-rps rp group-prefix hash-mask-len
- set protocols pimsm4 static-rps rp group-prefix rp-priority
- set protocols pimsm4 switch-to-spt-threshold bytes
- set protocols pimsm4 switch-to-spt-threshold disable
- set protocols pimsm4 switch-to-spt-threshold interval